

WHITE PAPER

The Antioxidant Edge: The Impact of Kaneka Ubiquinol[®] on Reproductive Health

Reproductive health is fundamental to the overall wellness of individuals and couples seeking parenthood. It encompasses not just the ability to conceive and sustain a pregnancy but also the health of reproductive systems and the processes that regulate them. The vitality of reproductive cells—sperm and ova—is central to the reproductive process, underpinning the very foundation of conception and the onset of a healthy pregnancy.

However, the health of an individual's reproductive cells faces an invisible challenge: the accumulation of reactive oxygen species (ROS) leading to ongoing oxidative stress. This state can lead to cellular damage impacting sperm motility, morphology, and overall sperm health in men. In women, oxidative stress can compromise oocyte quality and diminish ovarian reserve.

The damaging nature of oxidative stress and its impact on fertility is a growing concern, especially in light of modern lifestyle factors and environmental influences that may exacerbate its effects. Factors such as aging, dietary habits, exposure to pollutants, and stress have all been linked to increased oxidative stress levels, which can impact reproductive health, making it more difficult to conceive.

In this context, antioxidants, and their role in neutralizing ROS and mitigating the harmful effects of oxidative stress is key. Among these, Ubiquinol, the active antioxidant form of Coenzyme Q10, emerges as particularly well-suited. Its unique properties and mechanisms of action provide targeted support for reproductive health.

This paper delves into the science behind Ubiquinol's antioxidant capabilities, exploring how it counteracts oxidative stress and supports the health of reproductive cells, thereby playing a vital role in the conception journey.

These statements have not been evaluated by the Food and Drug Administration. The product is not intended to diagnose, treat, cure, or prevent any disease.



Oxidative Stress, Mitochondrial Dysfunction, and Reproductive Health

Defining Oxidative Stress and ROS

Oxidative stress arises when there is an imbalance between the production of reactive oxygen species (ROS) and the body's antioxidative defenses. ROS, such as superoxide anions, hydroxyl radicals, and hydrogen peroxide, are chemically reactive molecules containing oxygen. While they are natural byproducts of carbon/oxygen metabolism and play roles in cell signaling, excessive ROS can cause considerable damage to cell structures.^{1,2}

Biology of ROS Formation and Cellular Impact

The mitochondria, often described as the cell's powerhouse, play a vital role in energy production. This process occurs in the mitochondrial electron transport chain (ETC), a series of reactions that transfer electrons derived from nutrients. As electrons move through the ETC, they enable the conversion of adenosine diphosphate (ADP) into adenosine triphosphate (ATP), the cell's primary energy molecule. Ubiquinol plays a crucial role in this chain, supporting the efficient production of ATP.³

However, the transfer of electrons through the ETC is not 100% efficient. A fraction of these electrons leak from the ETC and react with oxygen, forming a superoxide. This molecule, a highly unstable and reactive free radical, is the primary form of ROS that also goes on to produce other forms of ROS. Superoxide has the potential to damage various molecular structures within the cell, including lipids, proteins, and DNA. Such damage can impair the electron transport chain, disrupt mitochondrial membranes, and affect mitochondrial DNA integrity.⁴ As a result, mitochondria may release increasing levels of ROS, affecting both their own membranes and the cell at large.⁵ Furthermore, this leakage can hinder the flow of electrons in the electron transport chain, diminishing the body's capacity for efficient cellular energy production.⁶

Biology of Mitochondria and Cellular Impact

Mitochondria are unique structures in the body in that they contain their own DNA, separate from the cell's DNA, called mitochondrial DNA (mtDNA), which is inherited only from the mother. This DNA controls the development and functional activities of the mitochondria. It is now understood that beyond energy generation, mitochondria also house and direct many complex and key processes such as cellular repair, programmed cell death, substrate flow, and both anti-inflammatory and pro-inflammatory responses. Mitochondria actively respond to cellular damage by initiating repair mechanisms, which help maintain mitochondria in good repair and systematically eliminate and recycle resources from those beyond repair. Cellular repair is particularly important in reproductive cells, which if not fixed when damaged, may result in difficulty conceiving. All of these functions are modulated by mtDNA, which is subject to the same kind of cumulative oxidative damage that affects regular DNA with aging.⁷


“Free radicals don't have enough electrons—they're looking all over the place for them and steal them from the nearest source. The damage this causes is what we're talking about when we say *free radical damage*.”

Sr. Scientific and Regulatory Advisor Risa Schulman, Ph.D.


Aging, Oxidative Stress, Mitochondrial Dysfunction, and Fertility

Aging generally increases oxidative stress due to the natural decline in the body's antioxidative mechanisms and the cumulative effect of environmental exposures. Environmental factors such as pollution and lifestyle choices like diet and stress levels can further intensify oxidative stress, negatively impacting reproductive health. This decline is also associated with an increase in mitochondrial dysfunction, due to the detrimental effects of oxidative stress on mtDNA, including increased mutation rates. It is now thought that mutations to the mtDNA greatly contribute to the decline of cellular and organismal health that is manifest in aging.^{8,9}

The energetic, homeostatic, and cellular repair breakdowns that occur due to excess oxidative stress filter down to the health of reproductive cells.



Normal Cell



Sperm With Abnormal Morphology

In men, this can translate into decreased sperm motility, morphology, and DNA integrity.¹⁰ “DNA integrity is of ultimate importance, as the only job of sperm is to deliver the man's DNA to the woman's egg in order to create a viable embryo,” explains Dr. Schulman.


In women, the consequences of oxidative stress can be impactful. Oocytes contain the most mitochondria of any cell in the body by far because of the very high amounts of energy required during the intense maturation and post-conception processes. Furthermore, a woman is born with all the eggs she will ever have, so as they become irreparably damaged, they are not replaced. It is known that oxidative stress and aging generally result in a lower ovarian reserve, particularly in women 35 and older, as well as lower quality oocytes. Oxidative stress can also have detrimental effects on other reproductive tissues, such as follicles, which are vital for oocyte protection, healthy maturation, and function.¹¹⁻¹³

As such, maintaining mitochondrial health is vitally important in supporting reproductive health.

“The mitochondria have two lipid membranes—it’s like a bag within a bag. Most of the other antioxidants cannot get there.”

Dr. Schulman

The Role and Efficacy of Antioxidants in Reproductive Health



Effectiveness of Antioxidants in Reproductive Health

The efficacy of antioxidants in reproductive cells is significantly influenced by their solubility and ability to reach the site of ROS generation. In the context of reproductive health, the lipid-rich environments of sperm and ova membranes, along with their mitochondria, are key sites where ROS-induced damage can occur. Therefore, lipid-soluble antioxidants are critical in these environments. Their overall effectiveness is determined by their concentration, stability, and ability to penetrate cell membranes and mitochondrial barriers.

Ubiquinol: A Superior Antioxidant

CoQ10 is produced by the body and found in small amounts in foods. Ubiquinone, its oxidized form, requires conversion to Ubiquinol in the body for antioxidant action. Ubiquinol, the reduced, antioxidant form of CoQ10, is distinguished by its unique properties and effectiveness as an antioxidant. It is the only lipid-soluble antioxidant synthesized in the body.¹⁴ Its lipid-solubility and concentration in the mitochondria give Ubiquinol a highly protective role.¹⁵ It effectively neutralizes ROS in both cellular and mitochondrial lipid membranes of reproductive cells. Ubiquinol's importance is key in situations of high oxidative stress, which pose an increased risk to cellular health, especially in the context of reproductive wellness.

Superior Bioavailability

When taken as a supplement, Ubiquinol, in contrast to ubiquinone, presents a distinct advantage in bioavailability. Kaneka Ubiquinol® has been shown to be two times better absorbed than conventional CoQ10.¹⁶ In a clinical study, Ubiquinol levels increased by approximately eight times compared to the baseline in healthy adults taking 200 mg of Ubiquinol daily for at least 30 days.¹⁶

This superior absorption becomes increasingly significant with aging and in the presence of oxidative stress. As the body ages, its ability to convert ubiquinone into Ubiquinol naturally diminishes, which can lead to a reduction in Ubiquinol levels and an imbalance of Ubiquinol/ubiquinone in the blood. Ubiquinol requires no conversion and readily offers potent antioxidant protection at the cellular level.

Regenerating Other Antioxidants in the Body

Ubiquinol actively contributes to a healthy antioxidant response, playing a pivotal role in recycling and regenerating other antioxidants. It directly regenerates vitamin E and supports the regeneration of the antioxidant glutathione, which helps recycle vitamin C and vitamin E, further enhancing the body's antioxidant capabilities.¹⁴

Lipid Solubility and Cell Membrane Integration

Ubiquinol's lipid solubility is a key characteristic, enabling it to effectively penetrate and act not only in the lipid-rich membranes of reproductive cells, but also in the mitochondrial double lipid membranes. This capability allows Ubiquinol to neutralize free radicals precisely where they are created—within the mitochondria themselves. Water-soluble antioxidants, by contrast, are not effective in these environments due to their inability to cross these lipid barriers.

By directly integrating into cellular and mitochondrial membranes, Ubiquinol offers enhanced protection against oxidative stress. It provides a targeted defense against oxidative damage, helping to safeguard the integrity and functionality of reproductive cells at a fundamental level. As the primary sites of ROS generation and energy production within cells, mitochondria benefit significantly from Ubiquinol's ability to neutralize free radicals directly at the source. This action is crucial for promoting mitochondrial integrity and functionality. Ubiquinol plays a significant role in this context by supporting mitochondrial health and function.

“Ubiquinol supplementation is a means of restoring mitochondrial bioenergetics—efficient cellular energy production. This is vital for all the gymnastics the egg cell needs to do.”

Dr. Schulman

In the context of reproductive cells, which have high energy demands for processes like sperm motility and oocyte maturation, the health of mitochondria is particularly vital. By protecting these organelles from oxidative stress and supporting their energy-producing capacity, Ubiquinol contributes to the overall health and vitality of reproductive cells.

Kaneka Ubiquinol®: Support for Preconception Health

Kaneka Ubiquinol® has emerged as a valuable means for addressing the impact of oxidative stress on preconception health. As a patented Ubiquinol ingredient, it supports reproductive wellness via the antioxidant's unique properties.

Scientific Evidence and Efficacy of Kaneka Ubiquinol®

Ubiquinol's effectiveness is backed by research demonstrating its support of reproductive health. Studies reveal that Kaneka Ubiquinol® neutralizes damage caused by oxidative stress, which can detrimentally impact male reproductive health.^{10,17,18} In fact, an open label study demonstrated improvements in sperm motility by up to 26% and an increase in sperm count by up to 53%.¹⁷ Research also reveals improvements in sperm morphology up to 19%.¹⁸

Potential Benefits and Applications in Preconception Care

Ubiquinol's role in preconception health extends to addressing the challenges posed by modern lifestyle factors and environmental stressors known to increase oxidative stress. Its enhanced bioavailability compared to conventional CoQ10 makes it a beneficial supplement to promote reproductive health.

“When we talk about oxidative stress in reproductive health, we’re looking at a multifaceted problem where both male and female reproductive systems may be impacted. As a potent, lipid-soluble antioxidant, Ubiquinol addresses these challenges.”

Dr. Schulman

By focusing on both male and female reproductive needs and offering support for the detrimental effects of oxidative stress at the cellular level, Kaneka Ubiquinol® positions itself as a useful adjunct to preconception care strategies. Its targeted action and benefits underscore its potential as an effective supplement to support individuals and couples on their reproductive health journey.

For individuals already using conventional CoQ10, switching to Kaneka Ubiquinol® offers enhanced absorption.

Partner with Kaneka for Advanced Reproductive Health Solutions

Join the forefront of reproductive wellness by incorporating Kaneka Ubiquinol® into your range of health products. Whether you are a healthcare practitioner dedicated to enhancing patient outcomes or a supplement manufacturer striving to deliver top-tier products, Kaneka Ubiquinol® offers the scientific edge your patients/clients need. Embrace this opportunity to elevate your offerings and set a new standard in preconception wellness.

Connect with us today to learn more and to begin your journey with Kaneka Ubiquinol®.



Kaneka Nutrients
6250 Underwood Road
Pasadena, TX 77507

Sales: 281-291-4489
Customer Service: 866-888-1723

NutrientsSales@Kaneka.com
KanekaNutrients.com

References

1. Beckman KB, Ames BN. The free radical theory of aging matures. *Physiol Rev*. 1998 Apr;78(2):547-81.
2. Sies H, Jones D. The concept of oxidative stress. In: Fink G, editor. *Encyclopedia of Stress*. 2nd ed. Vol. 3. Amsterdam: Elsevier; 2007: 45-48.
3. Becker WM, Deamer DW. Energy from Chemical Bonds: The aerobic mode. *The World of the Cell*. The Benjamin Cummings Publishing Company; 1991:275-313.
4. Pham-Huy LA, He H, Pham-Huy C. Free radicals, antioxidants in disease and health. *Int J Biomed Sci*. 2008 Jun;4(2):89-96.
5. Bratic A, Larsson NG. The role of mitochondria in aging. *J Clin Invest*. 2013 Mar;123(3):951-7.
6. Forsmark-Andrée P, Lee CP, Dallner G, Ernster L. Lipid peroxidation and changes in the ubiquinone content and the respiratory chain enzymes of submitochondrial particles. *Free Radic Biol Med*. 1997;22(3):391-400.
7. San-Millán I. The key role of mitochondrial function in health and disease. *Antioxidants* (Basel). 2023;12(4):782. Published 2023 Mar 23.
8. Lima T, Li TY, Mottis A, et al. Pleiotropic effects of mitochondria in aging. *Nat Aging* 2, 199–213 (2022).
9. Amorim JA, Coppotelli G, Rolo AP, et al. Mitochondrial and metabolic dysfunction in ageing and age-related diseases. *Nat Rev Endocrinol*. 2022;18:243-258.
10. Agarwal A, Parekh N, Pannel Selvam MK, et al. Male Oxidative Stress Infertility (MOSI): Proposed terminology and clinical practice guidelines for management of idiopathic male infertility. *World J Mens Health*. 2019 Sep;37(3):296-312.
11. Bentov Y, Casper RF. The aging oocyte—mitochondrial function be improved? *Fertil Steril*. 2013 Jan;99(1):18-22.
12. Zhu Z, Xu W, Liu L. Ovarian aging: mechanisms and intervention strategies. *Med Review* (2021). 2022 Nov;2(6):590–610.
13. Agarwal A, Aponte-Mellado A, Premkumar BJ, et al. The effects of oxidative stress on female reproduction: a review. *Reprod Biol Endocrinol*. 2012 Jun 29;10:49.
14. Ernster L, Forsmark-Andrée P. Ubiquinol: an endogenous antioxidant in aerobic organisms. *J Clin Invest*. 1993;71(8 Suppl):S60-5.
15. Langsjoen PH, Langsjoen AM. Comparison study of plasma coenzyme Q10 levels in healthy subjects supplemented with ubiquinol versus ubiquinone. *Clin Pharmacol Drug Dev*. 2014 Jan;3(1):13-7.
16. Hosoe K, Kitano M, Kishida H, et al. Study on safety and bioavailability of ubiquinol (Kaneka QH) after single and 4-week multiple oral administration to healthy volunteers. *Regul Toxicol Pharmacol*. 2007 Feb;47(1):19-28.
17. Thakur AS, Litarru GP, Funahashi I, et al. Effect of Ubiquinol therapy on sperm parameters and serum testosterone levels in Oligoasthenozoospermic infertile men. *J Clin Diagn Res*. 2015;9(9):BC01-BC03.
18. Cakiroglu B, Eyyupoglu SE, Gozukucuk R, Uyanik BS. Ubiquinol effect on sperm parameters in subfertile men who have astheno-teratozoospermia with normal sperm concentration. *Nephro Urol Mon*. 2014;6(3):e16870.